


**Climate Contingencies and
Farmed Animals: Building
Resilience**

**VLS Animal Law Symposium
2022**

**Hannah Connor
Senior Attorney
Environmental Health
Program**



The way we eat could lead to habitat loss for 17,000 species by 2050

Two recent studies underscore the danger the meat production system poses for biodiversity.

By Jenny Splitter | Feb 18, 2021, 11:00am EST



Beef production is the number-one driver of tropical deforestation in South America and worldwide (De Sy et al. 2015; Henders, Persson, and Kastner 2015). Analysis of nations with high rates of tropical deforestation has shown that the amount of deforestation fueled by beef production is more than twice as large as the combined amount resulting from the production of soy, palm oil, and wood products—the next three largest drivers of tropical deforestation (Henders, Persson, and Kastner 2015). In South America, beef production was responsible for 71 percent of total deforestation between 1990 and 2005 (De Sy et al. 2015). Cattle are raised primarily for meat and dairy products, but the industry also produces a number of other cattle products, such as fats, leather, and gelatin, which can be found in everything from lotion to shoes.

Soy, the second largest driver of deforestation, also heavily affects the South American landscape. Every year, around half a million hectares are deforested for soy in major soy-producing tropical nations (Henders, Persson, and Kastner 2015). The majority of soy is used as animal feed; around 70 to 75 percent of the world's soy ends up as feed for cows, chickens, pigs, and farmed fish (Brack, Glover, and Wellesley 2016). Thus, soy is also connected to South America's largest meatpackers, which use large amounts of animal feed in their beef, poultry, and pork operations. While some progress has been made in tackling deforestation resulting from production



Hurricane Florence: Animal Death Toll Reaches Millions in North Carolina

BY SHANE CROUCHER ON 9/19/18 AT 9:45 AM EDT

SHARE



- U.S.
- HURRICANE FLORENCE
- DEATH TOLL
- ANIMALS
- NORTH CAROLINA



Listen to this article now

Powered by Trinity Audio



00:00

02:59

Millions of livestock animals are dead in North Carolina due to Hurricane Florence, with more at risk as further flooding is anticipated.

The North Carolina Department of Agriculture reported the deaths by drowning of 3.4 million chickens and turkeys and 5,500 hogs, the Associated Press reported. Many died in farm buildings overcome by flooding as they waited to be taken to market.

In a statement, the North Carolina Pork Council said 2,100 farms in the state raise about 8.9 million pigs, which puts the losses in perspective. The Florence losses are almost double those of Hurricane Matthew in 2016 but around a quarter of those during 1999's Hurricane Floyd.



Capital Weather Gang

Factory farming practices are under scrutiny again in N.C. after disastrous hurricane floods

By Arelis R. Hernández, Angela Fritz and Chris Mooney

October 16, 2016



In North Carolina, massive flooding in the wake of Hurricane Matthew isolated or swamped these and other hog farms and their waste lagoons, raising fears of environmental contamination. (Arelis Hernández/The Washington Post)




NEW BERN, N.C. — A filthy brown sea, a slurry of mud, debris, chemicals and waste, has overtaken miles of rural counties in North Carolina. Against the drab water, the shiny metal roofs of hog houses are impossible to miss, visible from the air, as are the rectangular and diamond-shaped outlines of massive lagoons constructed just feet away.

State environmental officials insist they learned lessons from Floyd. The previous year, the state had put a moratorium on building new farms with more than 250 hogs and expanding existing large farms. After the hurricane, it bought out 42 hog operations located in the floodplain, essentially removing 103 waste lagoons. Other lagoons were relocated to higher ground and, in some cases, re-engineered to withstand inundation.

[How Hurricane Matthew created such a devastating deluge in the Carolinas]

Yet the effort remains unfinished, with “at least” 150 facilities that the state never closed, according to Michelle Nowlin, a professor of environmental law at Duke University. Many critics maintain that the moratorium contains loopholes that have long rendered the bill ineffective.

“What I do hope,” Nowlin stressed, “is that this serves as a wake-up call in the aftermath for regulatory officials and elected officials to say, we need to finish this job, and get these animals out of the floodplain.”



Classification Of Zoonoses

According to the Etiological agents

- ✓ **Bacterial zoonoses** → e.g. anthrax, brucellosis, plague, leptospirosis, salmonellosis, Lyme disease
- ✓ **Viral zoonoses** → e.g. rabies, arbovirus infections, KFD, yellow fever, influenza
- ✓ **Rickettsial zoonoses** → e.g. murine typhus, tick typhus, scrub typhus, Q-fever
- ✓ **Protozoal zoonoses** → e.g. toxoplasmosis, trypanosomiasis, leishmaniasis
- ✓ **Helminthic zoonoses** → e.g. echinococcosis (hydatid disease), taeniasis, schistosomiasis, dracunculiasis
- ✓ **Fungal zoonoses** → e.g. deep mycosis - histoplasmosis, cryptococcosis, superficial dermatophytes.

Zoonotic Diseases

- Since its emergence in late 2019, the SARS-CoV-2 virus has caused a pandemic of respiratory disease known as Covid-19 that as of yesterday has caused almost 6 million deaths.
- COVID-19 falls into the category of diseases called “zoonotic diseases” - AKA an infection or infectious disease transmissible between domestic or wild animals and humans.
- Other examples of zoonotic diseases include: rabies, plague, brucellosis, swine flu, avian influenza, etc.

Mother Jones

FOOD AUGUST 11, 2020

Industrial Hog Farms Are Breeding the Next Pandemic

And the government is doing a "very spotty" job of monitoring for dangerous strains of swine flu.

TOM PHILPOTT



credit: Mother Jones illustration; Getty

Covid and farm animals: nine pandemics that changed the world

Covid-19 has got experts thinking urgently about the risk of diseases passing from farmed animals to humans. We examine the major outbreaks of the past two centuries

Tom Levitt

Tue 15 Sep 2020 07:40 EDT



“Pandemics almost always begin with the transmission of an animal microbe to a human,” writes biologist Nathan Wolfe in the introduction to *The Viral Storm*. This year has been, more than most, a manifestation of that fact.



Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES)

Media Release

- Access the executive summary and the full Report here: www.ipbes.net/pandemics
- Access social media assets/images here: <https://bit.ly/PandemicsReportResources>
- For interviews: media@ipbes.net

Escaping the ‘Era of Pandemics’: Experts Warn Worse Crises to Come Options Offered to Reduce Risk

***Highlights: Intergovernmental Council on Pandemic Prevention;
Addressing risk drivers including deforestation & wildlife trade;
Tax high pandemic-risk activities***

***631,000 – 827,000 unknown viruses in nature could still infect people;
More frequent, deadly and costly pandemics forecast;
Current economic impacts are 100 times the estimated cost of prevention***

Future pandemics will emerge more often, spread more rapidly, do more damage to the world economy and kill more people than COVID-19 unless there is a transformative change in the global approach to dealing with infectious diseases, warns a major new report on biodiversity and pandemics by 22 leading experts from around the world.

Rising demand for meat consumption and the globalized food trade drive pandemic risk, through land use change and climate change

The rising demand for meat, particularly in developed countries and emerging economies, has continued to bolster an unsustainable globalized system of intensive production that threatens biodiversity through a range of mechanisms (e.g. land use change, eutrophication), and contributes to climate change⁷⁹. For example, global demand for meat has indirectly and directly led to deforestation, forest degradation and expansion of pasture in Brazil and other parts of the Amazon⁸⁰⁻⁸².


By forming unnaturally dense assemblages of often closely related individuals, livestock farming has historically driven the emergence of pathogens within the domesticated species. However, the increasing expansion of livestock and poultry production, the increase in the size and acreage of farms, and in the number of individual animals at a site have led to increasing potential for transmission of pathogens to people, e.g. the emergence of salmonellosis⁸³, bovine spongiform encephalopathy (BSE) and variant Creutzfeldt-Jakob disease (CJD)⁸⁴⁻⁸⁶ and some strains of antimicrobial resistant pathogens⁸⁷⁻⁸⁹. It has also led to pathogen emergence across the wildlife-livestock-human interface⁹⁰⁻⁹². For example, the emergence of novel strains of influenza has been linked to reassortment of viral genes following viral transmission among large poultry flocks mixing with wild birds, pig herds and people⁹³⁻⁹⁵. Rabies cases in Latin America are linked to vampire bats feeding on cattle hosts⁹⁶⁻⁹⁸. The emergence of Middle Eastern Respiratory Syndrome (MERS) in people was due to transmission of a coronavirus that is likely of bat origin⁹⁹⁻¹⁰⁵, but became recently endemic in domesticated camels^{106,107}, allowing repeated transmission to people¹⁰⁸⁻¹¹⁰.

SARS-CoV-2 & the danger of factory farming wildlife

- The living conditions in fur farms, which keep animals in close proximity and at high densities, are a hot-bed for disease activity.
- Captive mink raised for their fur are among the most vulnerable nonhuman animals susceptible to catching and spreading SARS-CoV-2.
- Since the beginning of the pandemic, more than 20,000 captive mink on U.S. mink farms have died from the disease, while in Europe millions more have either died from the disease or been killed to prevent its spread.




NY Times Magazine: Animals Infecting Humans Is Scary. It's Worse When We Infect them Back (Jan. 19, 2022)



Unlike in Europe, health officials in the United States did not conduct active surveillance on mink farms for coronavirus, relying instead on mink farmers to self-report outbreaks. Publicly, industry representatives said they took the risk of coronavirus incursions seriously, but privately, many were almost dismissive about the threat the virus posed. One mink farmer, Joe Ruef, described coronavirus in mink as a “nonevent” when we spoke by phone. The industry trade group, Fur Commission USA, called it a “supposed ‘public health threat,’” in an email to its members that was leaked to activists and shared with me. And when word got out that I was visiting Utah mink farms, Fur Commission USA sent out a “security alert” to its members, with a photograph of my rental car and its license plates. “DO NOT let her on to your property,” and “under no circumstances allow her near the mink sheds,” it read, because “any pictures or documented cases of ranches that are not following the recommended biosecurity protocols could damage our efforts to defend the US producers.”

As a relatively small industry that sells most of its animal products overseas as garments rather than as food, mink farms have escaped most regulatory oversight. Federal laws that pertain to animals — like the Animal Welfare Act and the Humane Slaughter Act — do not cover animals on fur farms. Few states require mink farms to be licensed or inspected; none require veterinary oversight. Like most states, Utah has no regulations on fur farming at all. Even the minimal containment strategies devised for infected mink farms proved difficult to implement. In Utah, mink farmers were “fairly resistant to having anyone come onto their facilities,” the Utah state veterinarian Dean Taylor told me. In internal correspondence acquired through public-records requests, Utah health department officials discussed an infected farm that the department was not permitted to access even for testing. Unregulated, secretive mink farms, Han says, are “not that different, if you think about it, from these captive wildlife farms that we hear about in Asia.”

Vison vison



Mustelids of North America

- **Kingdom - Animals - Animalia**
 - **Phylum - Vertebrates - Craniata**
 - **Class - Mammals - Mammalia**
 - **Order - Carnivores - Carnivora**
 - **Family - Weasels - Mustelidae**

- **Species - American Mink**

Mustela vison



BY ROY GRABER ON MARCH 15, 2022

Wisconsin avian flu case claims 3 million layers

Flock was located in Jefferson County and is the largest farm to be affected by the virus so far in 2022



A commercial layer operation in Jefferson County, Wisconsin, that has been affected by highly pathogenic avian influenza (HPAI) involved 3 million hens.

The United States Department of Agriculture (USDA) Animal and Plant Health Inspection Service (APHIS) reported the Jefferson County Case on March 14, but at the time a number of hens in the flock had not yet been released. However, information offered on the APHIS website this morning showed that there were 3 million hens in that flock.

APHIS is working closely with state animal health officials in Wisconsin on a joint incident response. State officials quarantined the affected premises, and birds on the property will be depopulated to prevent the spread of the disease.

This particular case marks the largest number of birds to be affected by HPAI in a single flock so far in 2022. Prior to this case, the largest flock to be affected was a commercial layer flock in New Castle County, Delaware, which involved 1,146,937 hens.

In addition to the Wisconsin and Delaware cases, HPAI has been confirmed in commercial layer flocks in Cecil County, Maryland, and Taylor County, Iowa.



OREGON
DEPARTMENT OF
AGRICULTURE

News Release: March 16, 2022

ODA prepares as highly pathogenic avian influenza (HPAI) is confirmed in the Pacific Flyway

On March 2, the World Organization for Animal Health (OIE) confirmed a bald eagle found dead in British Columbia, Canada tested positive for the highly pathogenic avian influenza (HPAI) Eurasian strain H5N1. The detection is the first in North America's Pacific Flyway, since 2015. HPAI is a highly contagious, deadly disease in domestic poultry. According to the U.S. Centers for Disease Control (CDC) and Prevention, HPAI detections do not present an immediate public health concern. No human cases of these avian influenza viruses have been detected in the United States.

"The best protection for birds are owners who practice effective biosecurity," said Dr. Ryan Scholz, State Veterinarian, Oregon Department of Agriculture. "We must be vigilant and strict with our biosecurity practices especially for backyard flocks, as well as educated on when and how to report potential avian influenza deaths. Our preparation could reduce the risk of infection among poultry and prevent or limit the impact of HPAI introduction in Oregon."



Earlier this year, the United States Department of Agriculture's (USDA) Animal and Plant Health Inspection Service (APHIS) confirmed HPAI in wild waterfowl in the Atlantic Flyway, on the east coast. In addition, USDAAPHIS has also confirmed HPAI infections in 16 states including both backyard and commercial flocks with new detections announced every week.



shelterfarmsanctuary

Shelter Farm Sanctuary



Date Confirmed 3/14/2022

Flock Type Commercial Layer Chickens

Flock Size 3,000,000



33 likes

nashville_animal_advocacy An outbreak of avian flu has been confirmed at a Jefferson County, Wisconsin factory farm filled with 3 million egg laying hens. One farm - 3 MILLION hens! 🐔🐔🐔

According to the USDA, all chickens in the flock will be destroyed and will not enter the food system. "Destroyed," as in suffocation by carbon dioxide if caged, or if floor reared, by foam suffocation. The USDA states that birds still alive after 15 minutes or more of burial in the foam are then supposed to be "euthanized." [choked, beaten or stomped]

The Wisconsin "cull" would bring the number of commercially raised chickens and turkeys killed nationwide due to bird flu to 6.7 million since February. It is the biggest U.S. outbreak of the disease in farmed birds since 2015, when nearly 50 million birds died.



Liked by jenny_howe and 46 others

Fundraising for **Barn Renovation and Fencing**

\$602.80 raised of \$3,800

shelterfarmsanctuary I was just scrolling and came across this post by @nashville animal advocacv. There is... more



shelterfarmsanctuary I was just scrolling and came across this post by @nashville_animal_advocacy. There is an avian influenza outbreak in the United States right now. Sanctuaries all over the country are trying to take precautions to limit contact between our flocks and wild birds who could bring in the flu. We're all closing bird intakes. I had a college student call me today and ask if I had baby chicks they could film, and if they had to buy some, if she could bring them to live here when they were done with them. Nope.

There have been cases reported in Florida, pretty close to here. The bottom line is that, should a case be reported within a few miles, the state can (and will) show up at my front gate and kill every bird here. This is what happens when we consume animals. When we pack millions of birds into steel warehouses and force them to live in filth, diseases push back. Bird flu, swine flu, this pandemic, all of it. We have done this to ourselves by exerting control over other species and profiting off of their bodies. It is disgusting. The suffering is so immense, the numbers are so unfathomable. It hurts. And it is terrifying.

3h



alldaysaredogdays Humans perpetuate endless suffering



50m Reply



psikearttattoo @shelterfarmsanctuary Even here in Italy there is an epidemic of avian flu that is affecting the large farms



2h Reply



A memorial across from the JBS plant in Greeley, Colo., includes a photo of Tin Aye, left, one of six employees who died in the pandemic.

On the Slaughterhouse Floor, Fear and Anger Remain

Workers say factories are still glossing over virus safety, as the meatpackers that dominate beef production harvest record profits.

 Give this article



 394

By **Peter S. Goodman** Photographs by **Erin Schaff**

Published Dec. 29, 2021 Updated Dec. 30, 2021

GREELEY, Colo. — Tin Aye died without ever laying hands on her

Animals farmed is supported by



About this content

Sophie Kevany

Tue 19 May 2020 05:47 EDT



Millions of US farm animals to be culled by suffocation, drowning and shooting

Closure of meat plants due to coronavirus means 'depopulation' of hens and pigs with methods experts say are inhumane, despite unprecedented demand at food banks



The pig industry is facing a major glut of market-ready hogs. Photograph: Scott Olson/Getty

More than 10 million hens are estimated to have been culled due to Covid-19 related **slaughterhouse shutdowns**. The majority will have been smothered by a water-based foam, similar to fire-fighting foam, a method that animal welfare groups are calling "inhumane".

The pork industry has warned that more than 10 million pigs could be culled by September for the same reason. The techniques used to cull pigs include gassing, shooting, anaesthetic overdose, or "blunt force trauma".

In "constrained circumstances", according to the American Veterinary Medical Association (AVMA), **techniques** [pdf] might also include a combination of shutting down pig barn ventilator systems with the addition of CO2 so the animals suffocate.

The 'depopulation' comes despite food banks across the US reporting **unprecedented demand and widespread hunger** during the pandemic, with six-mile-long queues for aid forming at some newly set up distribution centres.

The American meat supply chain has been hit hard by the closure of slaughterhouses, due to Covid-19 infection rates among workers. 30 to 40 plants have closed, which means that in the highly consolidated US system beef and pork slaughtering capacity has been cut by 25% and 40% respectively, **according** to the United Food and Commercial Workers (UFCW).

The closures have meant that animals cannot be killed for food and many

Animals farmed is supported by



About this content

Sophie Kevany

Wed 29 Apr 2020 06:03 EDT



Millions of farm animals culled as US food supply chain chokes up

US government vets said to be ready to assist with culls, or 'depopulation' of pigs, chickens and cattle because of coronavirus meat plant closures



Covid-19 has caused the closing of a number of food processing facilities in the US. Photograph: Tannen Maury/EPA

Covid-related **slaughterhouse shutdowns in the US** are leading to fears of meat shortages and price rises, while farmers are being forced to consider "depopulating" their animals.

More than 20 slaughterhouses have **been forced to close**, although some have subsequently reopened. On Tuesday President Trump **issued an executive order** to keep slaughterhouses open which would, he said, help solve liability problems for meat companies.

At least two million animals have already reportedly **been culled on farm**, and that number is expected to rise. Approved methods for slaughtering poultry include slow suffocation by covering them with foam, or by shutting off the ventilation into the barns.

A nationwide advisory **issued** last Friday by the US Department of Agriculture and the Animal and Plant Health Inspection Service said state veterinarians and government officials would be ready to assist with culls, or "depopulation", if alternatives could not be found.

AVMA Guidelines for the Depopulation of Animals: 2019 Edition

Members of the Panel on Animal Depopulation

Steven Leary, DVM, DACLAM (Chair); Fidelis Pharmaceuticals, High Ridge, Missouri
Raymond Anthony, PhD (Ethicist); University of Alaska Anchorage, Anchorage, Alaska
Sharon Gwaltney-Brant, DVM, PhD, DABVT, DABT (Lead, Companion Animals Working Group); Veterinary Information Network, Mahomet, Illinois
Samuel Cartner, DVM, PhD, DACLAM (Lead, Laboratory Animals Working Group); University of Alabama at Birmingham, Birmingham, Alabama
Renee Dewell, DVM, MS (Lead, Bovine Working Group); Iowa State University, Ames, Iowa
Patrick Webb, DVM (Lead, Swine Working Group); National Pork Board, Des Moines, Iowa
Paul J. Plummer, DVM, DACVIM-LA (Lead, Small Ruminant Working Group); Iowa State University, Ames, Iowa
Donald E. Hoenig, VMD (Lead, Poultry Working Group); American Humane Association, North Platte, Nebraska
William Moyer, DVM, DACVSMR (Lead, Equine Working Group); Texas A&M University, College Station, Texas
Medicine, Billings, Montana
Stephen A. Smith, DVM, PhD (Lead, Aquatics Working Group); Virginia-Maryland College of Veterinary Medicine, Blacksburg, Virginia
Andrea Goodnight, DVM (Lead, Zoo and Wildlife Working Group); The Living Desert Zoo and Gardens, Desert, California
P. Gary Egrie, VMD (nonvoting observing member); USDA APHIS Veterinary Services, Beltsville, Maryland
Axel Wolff, DVM, MS (nonvoting observing member); Office of Laboratory Animal Welfare, Bethesda, Maryland

AVMA Staff Consultants

Cia L. Johnson, DVM, MS, MSc; Director, Animal Welfare Division

AVMA Guidelines for the Euthanasia of Animals: 2020 Edition*

Members of the Panel on Euthanasia

Steven Leary, DVM, DACLAM (Chair); Fidelis Pharmaceuticals, High Ridge, Missouri
Wendy Underwood, DVM (Vice Chair); Indianapolis, Indiana
Raymond Anthony, PhD (Ethicist); University of Alaska Anchorage, Anchorage, Alaska
Samuel Cartner, DVM, MPH, PhD, DACLAM (Lead, Laboratory Animals Working Group); University of Alabama at Birmingham, Birmingham, Alabama
Temple Grandin, PhD (Lead, Physical Methods Working Group); Colorado State University, Fort Collins, Colorado
Cheryl Greenacre, DVM, DABVP (Lead, Avian Working Group); University of Tennessee, Knoxville, Tennessee
Sharon Gwaltney-Brant, DVM, PhD, DABVT, DABT (Lead, Noninhaled Agents Working Group); Veterinary Information Network, Mahomet, Illinois
Mary Ann McCrackin, DVM, PhD, DACVS, DACLAM (Lead, Companion Animals Working Group); University of Georgia, Athens, Georgia
Robert Meyer, DVM, DACVAA (Lead, Inhaled Agents Working Group); Mississippi State University, Mississippi State, Mississippi
David Miller, DVM, PhD, DACZM, DACAW (Lead, Reptiles, Zoo and Wildlife Working Group); Loveland, Colorado
Jan Shearer, DVM, MS, DACAW (Lead, Animals Farmed for Food and Fiber Working Group); Iowa State University, Ames, Iowa
Tracy Turner, DVM, MS, DACVS, DACVSMR (Lead, Equine Working Group); Turner Equine Sports Medicine and Surgery, Stillwater, Minnesota
Roy Yanong, VMD (Lead, Aquatics Working Group); University of Florida, Ruskin, Florida

CRIME & COURTS

Animal activist, pork producers both declare victory after case over videotape of hog farm euthanasia dismissed

 **William Morris**
Des Moines Register

Published 6:11 p.m. CT Jan. 19, 2022

[View Comments](#)    



Watch: Activist group secretly tapes euthanizing of Iowa pigs
Iowa's agriculture secretary says the animal activist group is 'kicking farmers when they're down.' [Des Moines Register](#)

Prosecutors have dismissed a second case against an Iowa animal rights activist who recorded secret video of hogs being euthanized at two Iowa pork facilities.

Cresco native [Matt Johnson](#), an activist affiliated with the organization [Direct Action Everywhere](#), [made headlines](#) in early 2020 when he released footage of hundreds of pigs being killed in Grundy County by [Iowa Select Farms](#), a major pork producer, early in the pandemic. Unable to ship pigs to slaughterhouses that were shuttered due to COVID, Select Farms euthanized the animals by shutting down ventilation in their barns and overheating them.

Company officials said afterward that the process was the safest and most humane option available, and condemned activists for using hidden cameras and false pretenses to infiltrate their facilities.

Johnson was charged with trespass and other crimes at two Select Farms facilities in Grundy and Wright counties. Grundy County prosecutors dismissed their charges on the eve of a January 2021 trial, saying the company had asked the case be dismissed after Johnson subpoenaed a number of Select Farms executives and employees to testify.

Previously: [Charges dropped against animal rights activist who secretly filmed Iowa pigs being killed](#)

In Wright County, Johnson's trial was to begin Thursday, but again, prosecutors

Advertisement

More Stories

 **A way-too-early 2022-23 Iowa State wrestling lineup prediction**
SPORTS

 **Google Fiber opens only Iowa office and it's in West Des Moines**
NEWS

 **If Your Dog Has Tear Stains (Most Dog Owners Don't Know This)**
[Ultimate Pet ...](#) | [Sponsored Links](#)

We're always working to improve your experience. [Let us know what you think.](#)

Advertisement



HOD recommends depopulation policy sent to expert panel for further consideration

Methods for depopulating swine, poultry in the spotlight after being used last year

By Malinda Larkin
Published on August 25, 2021

Two methods of depopulating chickens or pigs listed in AVMA guidelines have come under scrutiny in the past year.

During 2020, meat processing plants experienced substantial employee shortages because of COVID-19, with unprecedented declines in processing capacity nationwide. As a result, farmers were forced to hold animals longer than planned, leading to overcrowding and resulting in animals becoming too big for housing and processing facilities. After alternatives for marketing were exhausted, some meat processing companies used either ventilation shutdown or what is called VSD plus to quickly depopulate animals.

In reaction, a group of AVMA members submitted a late resolution by petition to the AVMA House of Delegates for the regular winter session in January. That resolution asked that the AVMA classify all forms of ventilation shutdown—VSD and VSD plus—as “not recommended” for poultry and pigs within the “AVMA Guidelines for the Depopulation of Animals: 2019 Edition.”





January 6, 2022

OPEN LETTER FROM VETERINARIANS AND ANIMAL WELFARE PROFESSIONALS TO THE AMERICAN VETERINARY MEDICAL ASSOCIATION

In 2020, hundreds of thousands – perhaps millions – of farmed animals were killed by purposely inducing heatstroke, using a method called “Ventilation Shutdown Plus” (VSD+). Thousands of pigs were sealed in barns, the ventilation was turned off, and heat and steam were pumped in, raising the temperature to as high as 170°F, essentially baking the animals to death and causing prolonged and unimaginable suffering.¹ All this occurred because slaughterhouses were shut down due to COVID-19 and the pork industry was unprepared for supply chain disruptions.

All veterinarians take an oath to prevent and relieve animal suffering. As such, the American Veterinary Medical Association (AVMA) campaigns to prevent heatstroke in dogs left in hot cars. Yet, the AVMA’s permissive position on VSD+ has allowed corporations that carry out mass killing via heatstroke to claim they are using “veterinary-approved” methods. Despite sustained outcry from its members and the enormous emotional toll VSD+ takes on pig veterinarians and pig farm workers, the AVMA has yet to change its stance on this

BEFORE THE UNITED STATES DEPARTMENT OF AGRICULTURE
PETITION FOR EMERGENCY RULEMAKING

ANIMAL LEGAL DEFENSE FUND,
ANIMAL EQUALITY, ANIMAL OUTLOOK,
ANIMAL PLACE, ASSOCIATION OF
IRRITATED RESIDENTS, CENTER FOR
BIOLOGICAL DIVERSITY, COMPASSION IN
WORLD FARMING USA, FARM FORWARD,
FARM SANCTUARY, THE HUMANE LEAGUE,
JOHNS HOPKINS CENTER FOR A LIVABLE
FUTURE, MERCY FOR ANIMALS, PEOPLE FOR
THE ETHICAL TREATMENT OF ANIMALS, WORLD
ANIMAL PROTECTION, and WOODSTOCK FARM
SANCTUARY,

Petitioners.

Docket No. _____

Filed With:

SONNY PERDUE
in his official capacity as Secretary,
United States Department of Agriculture.



Euthanasia Options

The American Veterinary Medical Association lists possible depopulation methods in three categories (AVMA, 2019):

Preferred	Permitted in Constrained Circumstances	Not Recommended
Gunshot	Ventilation shutdown plus	None listed
Nonpenetrating captive bolt	Sodium nitrite	
Penetrating captive bolt	Compounded or nonpharmaceutical-grade injectable anesthetics and euthanasia agents	
Electrocution		
Manual blunt force trauma		
Movement to slaughter		
Carbon dioxide		
Anesthetic overdose		

pork checkoff NATIONAL PORK PRODUCTION COUNCIL AMERICAN ASSOCIATION OF SWINE VETERINARIANS SHIC Swine Health Information Center

10:54 / 1:21:04

Pork Producer Webinar: Planning for Emergency Depopulation and Disposal

BEFORE THE UNITED STATES DEPARTMENT OF AGRICULTURE,
ANIMAL AND PLANT HEALTH INSPECTION SERVICE

[AMENDED] PETITION FOR EMERGENCY RULEMAKING

CENTER FOR BIOLOGICAL DIVERSITY;
NATURAL RESOURCES DEFENSE COUNCIL;
ANIMAL LEGAL DEFENSE FUND; ASSOCIATION
OF IRRITATED RESIDENTS; CAPE FEAR RIVER
WATCH; CATAWBA RIVERKEEPER
FOUNDATION; CENTER ON RACE, POVERTY
AND THE ENVIRONMENT; COASTAL
CAROLINA RIVERWATCH; ENVIRONMENTAL
WORKING GROUP; JOHNS HOPKINS CENTER
FOR A LIVABLE FUTURE; MOUNTAINTRUE;
RURAL ADVANCEMENT FOUNDATION
INTERNATIONAL, USA; SOUND RIVERS; and
WATERKEEPER ALLIANCE,

Petitioners,

Filed With:

SONNY PERDUE, in his official capacity as Secretary of
Agriculture; and KEVIN SHEA, in his official capacity as
Administrator, Animal and Plant Health Inspection
Service.

Docket No. _____

A video player interface for a USDA presentation titled "Carcass Management Options". The video content is a grid of images illustrating various methods:

Off-Site	INCINERATION	LANDFILL	RENDERING	
On-Site	BURNING	DEEP BURIAL	COMPOSTING	ABOVE GROUND BURIAL
Other	STORAGE	TRANSPORT		

 The video player includes a progress bar at the bottom showing 16:11 / 1:21:04 and standard playback controls.

Hannah Connor

Senior Attorney

Environmental Health Program

Center *for* Biological Diversity

hconnor@biologicaldiversity.org

www.biologicaldiversity.org

